

PLAY



WITH

marmoleum® modular



marmoleum® modular

tiles
planks

creating better environments




FLOORING SYSTEMS

PLAY

WITH

marmoleum®
modular

A NEW FLOOR CONCEPT THAT GOES BEYOND THE TRADITIONAL OFFER



New and original

Forbo Marmoleum Modular is a collection with a twist. We now offer various colours and designs which you can create inspiring and fitting floors for your interior. There are different tile formats and plank options allowing one to mix and match.

Linoleum modular equals creative freedom

Marmoleum Modular offers a playful experiment with colour and structure, like no other floor covering has done before. Subtle nuances or stark contrasts the choice is yours. You can create strong looking concrete or marbled floor designs, you can be subtle by playing with tone on tone colour differences that create floors that mimic those of natural stones or concrete. Or you can be bold and colourful by using the expression of colour to create your own design highlights in your environment.

Marmoleum modular offers you the possibility to create the floor of your choice. The collection invites you to play, combine and connect, shape, size and colour of the tiles you decide to use. In this way a complete new floor concept is created, one that goes beyond the traditional floor offer where just the design alone decides your choice. Now you can play with the shapes, sizes and tile formats you choose to create the floor you want to have.

The PVC-free alternative

PVC free Marmoleum is a natural and high quality alternative to conventional luxury vinyl tiles (LVT) available today. Marmoleum is PVC free and does not contain phthalates softeners. Marmoleum as a floorcovering has been awarded numerous local and international environmental certifications including GECA, Green Tag and internationally the Nordic Swan Blue Angel and Declare or red list free status. Marmoleum can contribute towards achieving Greenstar and LEED accreditation.

PLAY

WITH


**marmoleum®
modular**

SHADE

COLOUR

MARBLE

TEXTURE



FLAX

LINSEED

ROSIN

WOOD FLOUR

LIMESTONE

PIGMENT

JUTE

CRAFTED BY NATURE AND DESIGNED TO LAST

MARMOLEUM NATURAL DESIGN TILES

97% Natural
72% Renewable
43% recycled content

Marmoleum is made from abundant natural and renewable raw materials. Marmoleum Modular is PVC free and does not contain chemical softeners or additives. Production is powered from 100% renewable electricity in a ISO14001 and SA8000 certified facility .

THE SUSTAINABLE CHOICE, READY FOR USE

Marmoleum Modular is occupancy ready thanks to the Topshield2 finish and does not require additional sealers after installation. The modular tiles are easy to install, require a minimal cleaning and maintenance regime and can be recycled safely at the end of useful life.



PLAY

A DELICATE AND SENSITIVE BALANCE

50 x 50 cm

25 x 50 cm

WITH

marmoleum®
modular


SHADE



t3711 - t3719 - t3720 - t3721, 50 x 25 cm



t3717 - t3718 - t3719 - t3720, 75 x 50 cm




Grid PS-10



PS-11 (t3716 - t3717 - t3718)



PS-12 (t3711 - t3719 - t3720 - t3721)



Grid PS-20



PS-21 (t3711 - t3719 - t3720)



PS-22 (t3704 - t3716 - t3717 - t3718)



t3707 | black hole LRV 7%
*25cm x 25cm available



t3711 | cloudy sand LRV 49%



t3722 | stardust LRV 59%
*25cm x 25cm available



t3717 | neptune LRV 38%



t3707 - 3722 - (50x25), t3717 - t3718 (50 x 50)

PLAY

WITH

marmoleum®
modular

MARBLE




50 x 50 cm

25 x 50 cm

CLASSIC MARBLE IN MODERN TIMES


Experience traditional marbled linoleum in a new format. The collection of traditional and contemporary intense marbled designs can be combined with subtle simple marble designs to create a stone like effect. Suddenly what looks traditional comes to life in modern fashion. The marbled floor designs combine particularly well with wooden furniture and sober interiors, ideal for retail, hospitality and home environments.



Grid PM-20



PM-22 (t2713 - t3048 - t3136 - t3146)



PM-23 (t2713 - t3246 - t3252 - t3254)

PM-24 (t3048 - t3139 - t3407, 50 x 25 cm)



t2713 | calico LRV 53%



t3715 | phosphor glow LRV 34%



t3252 | sparrow LRV 28%



t3704 | satellite LRV 23%



t3720 | sandy coast LRV 28%



t3712 | orange shimmer LRV 31%



t3721 | Ipanema LRV 23%



t3048 | graphite LRV 14%



t3716 | mercury LRV 50%



t3136 | concrete LRV 47%



t3254 | clay LRV 17%



t3139 | lava LRV 9%

PLAY


WITH

marmoleum®
modular


COLOUR

50 x 50 cm


25 x 50 cm



t3887, t3884, t3238 - 25 x 50 cm



Grid PC-10



PC-11 (t3203 - t3242)



PC-12 (t3224 - t3238 - t3242 - t3243 - t3244 - t3245 - t3251 - t3563 - t3566 - t3887)



3238, 3251, 3127



t3127 | bleckerstreet LRV 9%



t3243 | stucco rosso LRV 23%



t3251 | lemon zest LRV 52%



t3224 | chartreuse LRV 38%



t3238 | laguna LRV 30%



t3030 | blue LRV 12%

PLAY

WITH

marmoleum®
modular

LINES & TEXTURE

100 x 25 cm



te5217 | welsh moor



*5218 | welsh moor



te5218 | *5218 | welsh moor

LRV 8%



te5230 | *5230 | white wash

LRV 49%



te5235 | *5235 | north sea coast

LRV 32%



te5217 | *5217 | withered prairie

LRV 23%



te5229 | *5229 | fresh walnut

LRV 15%



te5217 | withered prairie

te= embossed surface




te5225 | *5225 | compressed time

LRV 34%



te3573 | *3573 | trace of nature


LRV 27%




te5231 | *5231 | cliffs of moher

LRV 17%

EXAMPLES OF AVAILABLE GRIDS




PC-10




PC-11
 50 x 50 cm: t3203 37,5%
 t3242 62,5%




PC-12
 50 x 50 cm: t3224 10%
 t3238 10% t3242 10%
 t3243 10% t3244 10%
 t3245 10% t3251 10%
 t3563 10% t3566 10%
 t3887 10%




PC-20




PC-22
 25 x 25 cm: t3882 10%
 75 x 50 cm: t3713 45%
 t3714 45%



PC-21
 25 x 25 cm: t3563 5%
 t3566 5%
 75 x 50 cm: t3712 45%
 t3715 45%




PM-10



PM-21
 50 x 25 cm: t3048 25%
 t3136 25%
 t3139 25%
 t3216 25%



PM-32
 50 x 25 cm: t3048 25%
 t3136 50%
 t3146 25%




PL-10



PL-11
 100 x 25 cm: t5217 33%
 t5230 33%
 t5235 33%



PL-13
 100 x 25 cm: t5218 100%



PL-50



PL-51
 100 x 25 cm: t5218 33%
 t5231 33%
 t5232 33%



PL-53
 100 x 25 cm: t5217 100%

PLAY


WITH

marmoleum® modular

GRIDS ONLINE


MARMOLEUM MODULAR OFFERS ENDLESS DESIGN OPTIONS.

The collection lends itself to play with different colours and pattern combinations. There are many options to choose from or create your own and view in a real room scene.



A GUIDE TO DESIGN LAYOUT AND PLANNING


In addition to floor planner Forbo can assist in working out m² quantities for your design or chosen layout reducing the time required and wastage on site.



PL-10

PL-15


- The planks are installed in a herringbone pattern
- It is advised to start in the centre of the room
- Linoleum by nature has a yellow tint which disappears when exposed to natural or artificial light
- Linoleum is a natural product, therefore colours may deviate
- Linoleum requires a hard setting adhesive.




PL-30

PL-31

- For a good result please install squares tessellated (quarter turned)
- Check with the customer in what direction they want this floor installed (straight or diagonal)
- Linoleum by nature has a yellow tint which disappears when exposed to natural or artificial light
- Linoleum is a natural product therefore colours may deviate, especially for one colour in different dimensions
- Linoleum requires a hard setting adhesive



MORE FORBO FLOORING COLLECTIONS



Luxury vinyl tiles

Project Vinyl

Flotex flocced flooring

Textile flooring

Entrance flooring

INSTALLATION AND FLOOR CARE

Floor Care

Marmoleum Modular tiles from the day of installation are occupancy ready thanks to the advanced surface finish Topshield 2. No additional sealers or surface finishes are required. Marmoleum Modular tiles are easy to clean and require minimal maintenance. Removal of dry dirt and occasional cleaning with a neutral detergent is all that is required. For specific instructions visit the technical and download section of our website.
www.forbo-flooring.com.au

Installation

Marmoleum Modular tiles and planks are simple to install by qualified installers. Due to the recyclable polyester backing the tiles are dimensionally stable and undercut on all sides to create tight hairline joints that will withstand daily traffic and spills. We recommend using Forbo Sustain 885 low VOC adhesive, specifically designed for Marmoleum Modular.

Website

The Forbo flooring website contains useful information including PDF downloads, video demonstrations and technical information along with references and installation examples. Forbo Flooring systems also offer a wide variety of flooring solutions.





TECHNICAL SPECIFICATIONS

Marmoleum Modular meets the requirements of EN-ISO 24011

	Total thickness	EN-ISO 24346	2.5 mm			
	Domestic: heavy	EN-ISO 10874	Class 23			
	Commercial: very heavy	EN-ISO 10874	Class 34			
	Light Industrial: heavy	EN-ISO 10874	Class 43			
	Dimensions (length x width)	EN-ISO 24342	25 x 25 cm	50 x 25 cm	50 x 50 cm	100 x 25 cm
	Number of m ² per box		2.5m ² (40 pcs)	5m ² (40 pcs)	5m ² (20 pcs)	3m ² (12 pcs)
	Squareness and straightness	EN-ISO 24342	≤ 0.25 mm	≤ 0.35 mm	≤ 0.35 mm	≤ 0.35 mm
	Indentation residual	EN-ISO 24343-1	≤ 0.15 mm			
	Castor chair continuous use	EN 425	Suitable for office chairs with castors			
	Light fastness	EN-ISO 105-B02	Method 3: blue scale minimum 6			
	Resistance to chemicals	EN-ISO 26987	Resistant to diluted acids, oils, fats and to conventional solvents. Not resistant to prolonged exposure to alkalis			
	Bacteriostatic properties		Marmoleum has natural bacteriostatic properties, which are confirmed by independent laboratories, even against the bacteria MRSA			
	Cigarette resistance	EN 1399	Marks left on linoleum as a result of stubbed-out cigarettes can be removed			
	Slip resistance	AS/NZS 4586	R10 (textura R10-P3)			
	Acoustical impact sound reduction	EN ISO 717-2	≤ 5 dB			
	Life Cycle Assessment		LCA is the foundation for securing the lowest environmental impact			

Marmoleum meets the requirements of EN 14041

	Reaction to fire	AS/ISO 9239-1	>8kW/m ² <750%min
	Slip resistance	EN 13893	DS: ≥ 0.30
	Body voltage	EN 1815	< 2 kV
	Thermal conductivity	EN 12524	0.17 W/m·K

All Forbo Flooring Systems' sales organisations worldwide have a certified Quality Management System in accordance with ISO 9001.

All Forbo Flooring Systems' manufacturing operations have a certified Environmental Management System in accordance with ISO 14001.

The Life Cycle Assessment (LCA) of Forbo Flooring Systems' products is documented in individual Environmental Product Declarations (EPD's) which can be found on all of our websites.



Australia
Forbo Flooring Systems Pty Ltd
23 Ormsby Place
Wetherill Park NSW 2164
T: +61 9828 0200
F: +61 9725 3456
E: info.au@forbo.com
www.forbo-flooring.com.au

New Zealand
Inzide Commercial Ltd
52B Arrenway Drive
Rosedale 0632
Auckland
T: +64 411 9850
F: +64 411 9851
E: enquiries@inzide.co.nz
www.inzide.co.nz



COMMITTED TO THE HEALTH OF ONE

creating better environments

Declare.

Marmoleum Tile
Forbo Flooring Systems

Final Assembly: Assendelft, Netherlands
Life Expectancy: 25 Years
End of Life Options: Recyclable 100%

Ingredients:

Filler: Tall Oil Rosin Ester (USA), Cellulose (Germany), Limestone-Calcium Carbonate (Germany); Binder: Gum Rosin (Indonesia), Linseed Oil (Canada); Backing: Polyethylene Terephthalate (PET); Pigment: Ferric Oxide, Iron Oxide, Ferric Oxide Yellow; Finish: Polyurethane, Acrylic Copolymer

Living Building Challenge Criteria:

FRB-0102	Exp: 03/01/2016
VOC Content: N/A	VOC Emissions: CDPH Compliant
<input type="checkbox"/> LBC Red List Free	<input checked="" type="checkbox"/> LBC Red List Free
<input type="checkbox"/> LBC Compliant	<input type="checkbox"/> LBC Compliant
<input type="checkbox"/> Declared	<input type="checkbox"/> Declared

FORBO FLOORING SYSTEMS IS A LEADER IN RESPONSIBLE & SUSTAINABLE MANUFACTURING. INTERNATIONAL LIVING FUTURE INSTITUTE™ declareproducts.com

Australian collection – for international collection please visit www.forbo-flooring.com for more tile options